on average weight (BWT), feed conversion (FC), adjusted feed conversion (AFC), and mortality Influence of FEED

	271 -1204-130		Day 18			3		
ON O	Cilrus peel Ibs/ton	BWT (kg)	FC (kg gain/kg feed)	FC AFC gain/kg feed) (kg gain/kg feed)	BWT (kg)	FC (kg gain/kg feed)	Lay 50 FC AFC (kg gain/kg feed)	7-49 Days Mortality
_	Control	0 583±0 007	1 252±0.007	1 243+0 007	00000000			(p/)
~	4	0 582±0 006	1 242+0 003	100 000 1	2 00UIU 023	1 987±0 018	1.923±0 014	6 000±1 309
~	æ	0.581+0.005	1 222.0 0.5	1 231±0 002	2 793±0 025	1964 ± 0014	1 915±0 009	4 250±0 796
_	16	0.282±0.003	1 233±0.007	1.220±0 007	2 824±0 022	1953 ± 0016	1.910±0 010	3.250+0.750
	24	0 202 10 000	1.244±0.009	1.237±0 009	2.835±0 024	1959±0.014	1.912±0 011	3 750+1 008
	30	0 303 TO 300	1.249±0.006	1.241±0 007	2.853±0.022	1.970±0.018	1.919±0.006	4 250±1 226
	3	0 0 1 / 1 0 0 0 8	1 259±0 009	1.245±0.008	2.890±0.023	2 000±0.025	1.910±0.010	7.250+1.260
	Pr>F	0 9631	0 1862	0 1262	0 0916	0.4288		955 1 1057:1




FIG. 2




FIG. 3




FIG. 4

Cumulative MORTALITY (%)




FIG. 5




FIG. 6




FIG.7

Average Body Weights, Gain and Adjusted Feed Conversion (Days 0 - 15)




FIG. 8

Average Body Weight Day 27 and Adjusted Feed Conversion




FIG. 9